## Example showing issue (See in yellow)

iearch examples			<pre>Workday Calendar The calendar can focus in on workday hours, giving a clearer view of o itself can also be customized. ise.DataSource.create(     ise.DataSource.create((         fielde:(         fielde:(</pre>					
Caler	s boBox & Family s		-		alendar.oreate D: "eventCalend ataSource: even howMeekands: to howMorkday: tru ecollToWorkday: lretDayOfWeek	ntDS, true, rue, : true, false,		
🔍 View Mar 6 - 1	🔄 workdayCalend	tar.js 📄 cale	ndar.css 🗵 🖻	eventData		Skin: Enterprise	✓ Density: C	Compact v
	Mon 03/06	Tue 0	3/07	Wed 03/08	Thu 03/09	Fri 03/10	Sat 03/11	
09:00 am		09:00 am Meeting Shareholders meeting: monthly forecast report						E
10:00 am					10:00 am Inspection This canvas is styled and disabled by			
11:00 am					custom styleName and canEdit settings on the CalendarEvent	11:00 am Meeting × Board of directors meeting: discussion of next months strategy		
12:00 pm								
01:00 pm					01:00 pm Soccer Little league soccer finals	-		
02:00 pm						-		
						_		
03:00 pm								
03:00 pm 04:00 pm								

ſ	🔍 View	🕞 workdayCalendar.js	E calendar.css	🕞 eventData	Skin:	Enterprise 🗸 🗸	Density:	Compact	~		æ
	<del>4</del> Feb 27 - I	Mar 5, 2017 📰 💿 ቀ					ſ	Day	w	eek	٦

	Mon 03/06	Tue 03/07	Wed 03/08	Thu 03/09	Fri 03/10	Sat 03/11	Sun 03/12
			the CalendarEvent				·
09:00 am		09:00 am Meeting Shareholders meeting: monthly forecast report					
10:00 am				10:00 am Inspection			
				This canvas is styled and disabled by custom styleName and	11:00 am Meeting		
11:00 am				canEdit settings on the CalendarEvent	Board of directors meeting: discussion of next months strategy		
12:00 pm					-		=
01:00 pm				01:00 pm Soccer Little league soccer			
				finals	_		
02:00 pm							
03:00 pm							
04:00 pm							

## Example showing working Ok

Advanced Cube     Databound Calendar	View 🕞 workdayCalendar.js 🕞 calendar.css 🕞 eventData
Deshboards & Tools      Deshboards & Tools      Printing      Offline support      off offline preferences      Developer Console      SmartClient Docs      New Samples in 11.0	<pre>isc.DataSource.create({     ID: "eventDS",     fields:(         {name:"aventId", primaryKey: true, type: "sequence"},         {name:"name"},         {name:"description"},         {name:"starDate"},         {name:"endDate"} ], intoNly: true,     testData: eventData</pre>
B-III Grids D-III Grids D-III ComboBox & Family D-III ComboBox & Family D-III ComboBox & Family D-III ComboBox & Family D-III ComboBox & Family D-IIII ComboBox & Family D-IIII ComboBox & Family D-IIII ComboBox & Family D-IIII ComboBox & Family D-IIIII ComboBox & Family D-IIII ComboBox & Family D-IIIII ComboBox & Family D-IIII ComboBox & Family D-IIIII ComboBox & Fami	<pre>}); isc.Calendar.create({     ID: "eventCalendar",     dutoFetchData: true,     showWeckends: true,     showWeckeds: true,     showWotkday: true,     showMonthView: false,     firstDayOfWeek: 0 });</pre>

	Sun 03/05	Mon 03/06	Tue 03/07	Wed 03/08	Thu 03/09	Fri 03/10	Sat 03/11
09:00 am			09:00 am Meeting Shareholders forecast report	_			
10:00 am					10:00 am Inspection This canvas is styled and disabled by		
11:00 am					on the CalendarEvent	11:00 am Meeting Board of directors meeting: discussion of next months strategy	
12:00 pm						_	
01:00 pm					01:00 pm Socoer Little league socoer finals		
02:00 pm					-		
03:00 pm							

🔍 View [ 🔄	workdayCalendar.js	🕞 calendar.css	🔄 eventData		Skin: Enterprise	e ❤ Density: C	ompact 👻 🖨
Feb 26 - Mar	4, 2017 📰 💿 📫						Day Week
	Sun 02/26	Mon 02/27	Tue 02/28	Wed 03/01	Thu 03/02	Fri 03/03	Sat 03/04
09:00 am							
10:00 am							
11:00 am							
12:00 pm							
1:00 pm							

## NOTES

I've come across the issues when switching from "Day" to "Week" view where the current week does not align with the current day. This only occurs when the "firstDayOfWeek:1" attribute is set. I am able to duplicate this behaviour on you showcase (see attached document). Here are the steps to produce the issue.

- 1. Open calendar demo (<u>http://www.smartclient.com/#workdayCalendar</u>)
- 2. Set showWeekends: ture,
- 3. Add attribute firstDayOfWeek: 1 (Starts the Calendar on a Monday in Week view)
- 4. Now start the Demo.
- 5. The Date picker will show the same range as the Calendar "Week" View date headings.
- 6. Now use the date picker to select the Sunday prior to the current Monday start of week.
- 7. Note that the date picker date range will change to the previous week however the Calendar date range will remain on the current week. This won't occur when the firstDayOfWeek attribute is set to 0.

Thanks,

Col.