

Current state:

```
<field name="cat_desc" type="text" length="200" title="Description" />
<field name="retro_id" type="integer" format="#####0" title="RetroID" editorType="SelectItem"
  foreignKey="rscReacctProgramYearsThin.retro_id"
  foreignDisplayField="retro_desc" />
```

retro_id in listgrid
retro_desc in fieldslist
on new/edit: retro_desc in combobox dropdown

Second try:

```
<field name="cat_desc" type="text" length="200" title="Description" />
<field name="retro_id" type="integer" format="#####0" title="RetroID" editorType="SelectItem"
  foreignKey="rscReacctProgramYearsThin.retro_id"
  displayField="retro_desc"
  foreignDisplayField="retro_desc" />
```

retro_id in listgrid
retro_id in fieldslist
on new/edit: retro_desc in combobox dropdown

Third try:

<https://www.smartclient.com/smartclient-release/showcase/?id=sqlIncludeFrom>

```
<field name="cat_desc" type="text" length="200" title="Description" />
<field name="retro_id" type="integer" format="#####0" title="RetroID" editorType="SelectItem"
  foreignKey="rscReacctProgramYearsThin.retro_id"
  displayField="retro_desc"
  foreignDisplayField="retro_desc" />
<field includeFrom="rscReacctProgramYearsThin.retro_desc" hidden="true" />
```

Retro_id in listgrid
Retro_id in fieldslist
On new/edit: retro_desc in combobox dropdown

Fourth try:

```
<field name="cat_desc" type="text" length="200" title="Description" />
<field name="retro_id" type="integer" format="#####0" title="RetroID" editorType="SelectItem"
  foreignKey="rscReacctProgramYearsThin.retro_id"
  displayField="retro_desc" />
<field includeFrom="rscReacctProgramYearsThin.retro_desc" hidden="true" />
```

Retro_id in listgrid
Retro_id in fieldslist
On new/edit: retro_desc in combobox dropdown

Fifth try:

```
<field name="cat_desc" type="text" length="200" title="Description" />
<field name="retro_id" type="integer" format="#####0" title="RetroID" editorType="SelectItem"
```

```
foreignKey="rscReacctProgramYearsThin.retro_id"
displayField="retro_desc" />
<field name="retro_desc" includeFrom="rscReacctProgramYearsThin.retro_desc" hidden="true" />
```

Retro_id in listgrid

Retro_id in fieldslist

On new/edit: retro_desc in combobox dropdown

Sixth try:

Does it matter what order the JSON elements are in? Made it identical to example. NO.

Does it matter SelectItem vs ComboBoxItem? NO.

```
<field name="cat_desc" type="text" length="200" title="Description" />
<field name="retro_id" type="integer" format="#####0"
foreignKey="rscReacctProgramYearsThin.retro_id"
displayField="retro_desc"
title="RetroID"
editorType="ComboBoxItem" />
<field includeFrom="rscReacctProgramYearsThin.retro_desc" hidden="true" />
```

Retro_id in listgrid w/ additional blank column

Retro_id in fieldslist

On new/edit: retro_desc in combobox dropdown

Seventh try:

<https://www.smartclient.com/smartclient-release/showcase/?id=sqlIncludeVia>

```
<field name="cat_desc" type="text" length="200" title="Description" />
<field name="retro_id" type="integer" format="#####0" title="RetroID" editorType="SelectItem"
foreignKey="rscReacctProgramYearsThin.retro_id"
displayField="retro_desc" />
<field name="retro_desc" includeFrom="rscReacctProgramYearsThin.retro_desc" includeVia="retro_id" />
```

Retro_id in listgrid w/ additional blank column??

Retro_id in fieldslist

On new/edit: retro_desc in combobox dropdown